



PSB Singapore

# CERTIFICATE OF CONFORMITY

No. CLS2 116308 0001 Rev. 00

Initial No. -

**Certificate Holder:** Tri-Sky Link Sales and Services Inc.  
Room 708 One Joroma Place  
Congressional Ave Bahay Toro  
Second District Philippines  
1106 Quezon City NCR  
PHILIPPINES

UEN - CS200901437

**Product:** Thermal Insulation Materials

**Brand Name:** GENShield®

**Model(s):** Omega

**Product Details:** Rating: Class 0  
Thickness: 10mm  
Bulk Density: 31kg/m<sup>3</sup>  
Tested on Aluminium Foil face

Regulated Fire Safety Products used in Singapore need to comply with Singapore Civil Defence Force's Requirements

This certificate is for use outside of Singapore only

**Standard(s):** BS 476-6:1989/A1:2009  
BS 476-7:1997

**Country of Origin:** Philippines

**Test Report(s):** 7191269323-MEC21/1-YWA  
7191269323-MEC21/2-YWA

**Valid until:** 2027-04-07

Page 1 of 1

**Issued on:** 2022-04-08

Vice-President (Certification Department)  
TÜV SÜD PSB



This Certificate is the property of TÜV SÜD PSB Pte Ltd. Reports listed in this certificate is an integral part of the certificate and should be read in conjunction with it. The use of this Certificate is subjected to TÜV SÜD Group Testing and Certification Regulations; TÜV SÜD PSB Pte Ltd (PSB) General Terms and Conditions of Business and PSB Product Listing Scheme (PLS) Application Fact Sheet. The manufacturer is solely responsible for compliance of any product that has the same designation as the product type-tested. Persons relying on this Certificate should verify its validity by checking the e-directory: [www.tuvsud.com/ps-cert](http://www.tuvsud.com/ps-cert). For more information on TÜV SÜD PSB Pte Ltd product certification: [www.tuv-sud-psb.sg](http://www.tuv-sud-psb.sg)